







Lampion mini




Operating position: Vertical


If the external cable, lighting source or driver contained in this light are damaged, they have to be replaced by the manufacturer or its maintenance agent or an equally qualified worker, in order to avoid any risk

Installation


1



2






3









Maintenance




1



2




3







Tightening torque 2 N.m

Cleaning








Connection for luminaires with outgoing cable


Electrical connections of the junction box have to main the same insulation class the luminaire.

Nominal voltage	120V-480V Only for luminaires with drivers			
Number of poles and terminal section	CLII	CLI	CLII-DALI	CLI-DALI
	2 x 1.5mm ²	3G 1.5mm ²	4 x 1.5mm ²	5G 1.5mm ²
	N L 	N L ⊕ 	Dalii/ 1-10V - Dalii/ 1-10V + N L 	Dalii/ 1-10V - Dalii/ 1-10V + N ⊕ L 
Fixation method	Depend on the junction box			


Lampion Mega / Lampion Glow



**Lampion
Méga**



**Lampion
Glow**




Operating position: Vertical



The lighting source or driver contained in this light must only be replaced by the manufacturer or his maintenance agent or an equally qualified worker

Installation

1



2




Tightening torque 32 N.m


Excluding special DMX wiring

CI I		CI II	
HO7 RNF			
3G1,5 mm ²	5G1,5 mm ²	2x1,5 mm ²	4x1,5 mm ²

3




Tighten







Tightening torque 32 N.m

Hold



Don't turn the bottom nut

Maintenance



Cleaning

